



Manufacturer	Model	Designation	Length	Design Load	Power Taper Load	Power Taper Designation
GUIDELINE	leCie SHS	6/7	10'8	210	240	SH 7/8 or Bullet 7
		7/8	10'8	235	280	SH 8/9 or Bulle 8
		8/9	11'	260	320	SH 8/9 or Bullet 9
	leCie DHS	6/7	12'6	310	330	7/8
		7/8	12'6	340	380	8/9
		8/9	12'6	430	470	9/10
		9/10	12'6	540	580	9/10
		7/8	13'7	340	360	7/8
		8/9	13'7	430	450	8/9
		9/10	13'7	540	570	9/10
		9/10 MF	14'8	540	540	8/9
		9/10 F	14'8"	550	550	8/9
		10/11 MF	14'8"	620	620	11/12
		10/11 F	14'8"	640	640	9/10
	10/11 MF	15'9"	660	660	9/10	
	10/11 UK	14'8"	660	660	9/10	
	LPXe	7/8	11'	280	280	SH 7/8 or Bullet 8
		8/9	11'	325	325	SH 8/9 or Bullet 9
		7/8	12'6"	350	370	7/8
		8/9	12'6"	430	450	8/9
		8/9	13'	430	450	8/9
		9/10	14'	540	560	9/10
		10/11	15'	620	640	9/10
	AWM	8/9	13'	420	420	8/9
		9/10	14'	520	520	9/10
		10/11	14'9"	620	620	9/10

Manufacturer	Model	Designation	Length	Design Load	Power Taper Load	Power Taper Designation
Gary Anderson	1105 Switch	5	11'			
	1263th	3	12'6"			
	1203-4 eps	3	12'			
	1194-5 eps	4	11'9"			
	1106 Switch	6	11'			
	1264th	4	12'6"			
	1415-6 eps	5	14'1"			
	1215-4 eps	5	12'1"			
	1195-5 LS	5	11'9"			
	1107 Switch	7	11'			
	1265th	5	12'6"			
	1385th	5	13'8"			
	1316-4 LS	6	13'1"			
	1386-5 LS	6	13'8"			
	1296-4 eps	6	12'9"			
	1108 Switch	8	11'			
	1266sth	6	12'6"			
	1386sth	6	13'8"			
	1237-5 LS	7	12'7"	470	470	8/9
	1397-4 eps	7	13'9"		530	7/8
	1109 Switch	9	11'		470	SH7/8 or Bullet 9
	1267sth	7	12'6"		470	8/9
	1387sth	7	13'8"		470	8/9
	1238-4 eps	8	12'3"		470	9/10
	1518-5 LS	8	15'1"		530	9/10
	1398-4 eps	8	13'9"		530	10/11
	1368-4 LS	8	13'6"		530	10/11
1449-5 LS	9	14'4"		590	9/10	
15110-5 LS	10	15'1"		590	8/9	

Manufacturer	Model	Designation	Length	Design Load	Power Taper Load	Power Taper Designation
Beulah	Spey	6/7	11'6"	370-390	470	8/9
	Spey	7/8	12'6"	400-450	470	8/9
	Spey	8/9	13'6"	520-650	590	10/11
	Spey	9/10	13'	640	590	10/11
	Switch	4/5	10'6"	250	40 Plus 6	SH 6/7 or Bullet 6
	Switch	5/6	10'6"	290	40 Plus 7	SH 6/7 or Bullet 7
	Switch	6/7	10'6"	335	40 Plus 8	7/8 or Bullet 8
	Switch	7/8	10'6"	380	40 Plus 9	8/9 or Bullet 9
	Switch	8/9	10'6'	425	40 Plus 9	8/9 or Bullet 9
	Switch	9/10	10'6'	520		
	Switch	10/11	10'6'			
Bob Clay	Suskwa	7/8	12'1"	450	470	8/9
	Kispox	8/9	12'	550	530	9/10
	Bulkley	8/9	12'6"	550	530	9/10
	Skeena	9/10	13'	650	590	10/11
	Speyorama	10/11	15'	800	730	10/11
Burkheimer	CF7129-3	7	12'9"		530	9/10
	CF7137-3	7	13'7"		530	8/9
	CF8133-3	8	13'3"		530	9/10
	CF8139-3	8	13'9"		590	10/11
	CF9143-3	9	14'3"		590	9/10
	CF9149-3	9	14'9"		590	9/10
	CF10150-3	10	15'		680	10/11
	CF11150-3	11	15'		770	10/11

Manufacturer	Model	Designation	Length	Design Load	Power Taper Load	Power Taper Designation
CND	Custom Series	7/8	13'		530	8/9
		8/9	13'		640	9/10
		9/10	14'		750	10/11
		10/11	15'		840	10/11
	Black Spey	5/6/7	12'6"		410	7/8
		6/7/8	13'		470	8/9
		7/8/9	13'6"		530	9/10
		8/9/10	14'		590	9/10
		9/10/11	15'		590	9/10
	Tracker	5/6/7	9'6"		410	7/8
		6/7/8	9'8"		470	8/9
		5/6/7	12'2"		470	8/9
		6/7/8	13'3"		470	8/9
	Solstice	6/7/8	13'4"		470	8/9
		7/8/9	14'3"		530	9/10
		7/8/9	15'2"		550	9/10
		8/9/10	16'1"		600	9/10
	NF Specialist	8/9	13'3"	640		10/11
	Skagit	9	13'9"	640		10/11
	Steelhead	8/9/10	14'4"	640	590	9/10
	Salar	9/10/11	15'6"	730	690	10/11
	Thompson	10/11/12	16'7"	820	680	11/12
Oceana	9/10	11'1"		590	10/11 or Bullet 11	
	11/12	11'1"		770	11/12	

Cortland	Endurance 662506	6	12'		530	9/10
	Endurance 662513	8	12'6"		590	9/10
	Endurance 662506	9	13'		590	9/10

ECHO	Classic	6/7	12'6"	470-510	470	8/9
	Classic	7/8	13'	530-570	530	9/10
	Classic	8/9	13'6"	600-640	590	9/10
	Classic	9/10	14'	680-720	590	9/10
	Echo2-7124fa-4x scandinavian	7	12'4"	450-500	530	9/10
	Echo2-8124fa-4x scandinavian	8	12'4"	500-550	550	9/10
	Echo2-9126fa-4x scandinavian	9	12'6"	550-600	590	9/10

Manufacturer	Model	Designation	Length	Design Load	Power Taper Load	Power Taper Designation
Elkhorn	1156-4	5/6	11'		430	7/8
	1267-3	6/7	12'4'		480	7/8
	1378-3	7/8	13'		550	9/10
	1489-3	8/9	14'		640	10/11
	1590-3	9/10	15'6"		730	10/11
	1267-6	6/7	12'6"		480	7/8
	1489-6	8/9	14'		650	10/11

Fly Logic	FL0+ 1307/4	7	13'		530	9/10
	FL0+ 1308/4	8	13'		590	10/11
	FLO+1409/4	9	14'		590	9/10

Heritage	Spey	6/7/8	12'		530	9/10
		8/9	14		590	10/11
		9/10	15		680	10/11

Lamiglas	CST 12667	6/7	12'6"		470	7/8
	CST 12989	8/9	12'9"		590	10/11
	CST 141011	10/11	14'		680	10/11

Loomis	GLX (Greased Line)	7/8	15'		490	7/8
	GLX	8/9	14'		590	9/10
	GLX	8/9	15'		550	8/9
	GLX	9/10	15'		590	9/10
	GLX	10/11	15'		680	10/11
	GLX	9/10	16'		680	9/10
	GLX	10/11	17'		770	10/11
	Deveron	8/9	14'		590	9/10
	Deveron	9/10	15'		590	8/9
	GLX (Dredger)	6/7	12'9"		470	7/8
	GLX	7/8	13'4"		470	7/8
	GLX	8/9	13'9"		530	8/9
	GLX	9/10	14'		590	9/10
	Kispiox	7/8	13'4"		470	7/8
	Kispiox	8/9	13'9"		530	8/9
	Kispiox	9/10	14'		590	9/10
	GLX (Stinger)	7/8	12'6"		470	7/8
	GLX	8/9	13'		590	9/10
	GLX	8/9	12'6"		580	9/10
	GLX	9/10	12'6"		680	10/11
	GLX	9/10	14'		680	9/10
	GLX	10/11	15'		770	10/11
	Alta	8/9	12'6"		590	9/10
	Alta	9/10	12'6"		680	10/11
	Alta	9/10	14'		690	9/10

LOOP	Grey 9130-4	9	13'		590	10/11
	Grey 10150-4	10	15'		680	10/11
	Green 8124-4	8	12'4"		570	10/11
	Green 9132-4	9	13'2"		590	10/11
	Green 9140-4	9	14'		590	9/10
	Green 10150-4	10	15'		680	9/10
	Black 8124-4	8	12'4"		590	10/11
	Black 9140-4	9	14'		590	9/10
	Blue 7116-4	7	11'6"		470	7/8
	Blue 8124-4	8	12'4"		590	10/11
	Blue 9132-4	9	13'2"		590	10/11
	Blue 9140-4	9	14'		590	9/10
	Blue 10150-4	10	15'		680	10/11
	Yellow 8124-4	8	12'4"		590	10/11
	Yellow 9132-4	9	13'2"		590	10/11
	Yellow 9140-4	9	14'		590	9/10
	OPDH7116-4A	7/8	11'6"		430	7/8
	OPDH8124-4A	8/9	12'4"		490	8/9
	OPDH9132-4A	9/10	13'2"		590	9/10
	OPDH9140-4A	9/10	14'		590	9/10
	OPDH10150-4A	10/11	15'		680	10/11
	OPDH11140-4A	11/12	14'		760	10/11
	OPDH11160-4A	11/12	16'		760	10/11
	OPDH11170-4A	11/12	17'		760	10/11
	MUL7120-4A	7	12'		470	7/8
	MUL8130-4A	8	13'		590	10/11
	MUL9140-4A	9	14'		590	9/10
	MUL10130-4A	10	13'		680	11/12
	MUL10150-4A	10	15'		680	10/11
	GASS6120-4A	6	12'		430	SH6/7 or Bullet 8
	GASS8140-4A	8	14'		590	9/10
	GASS9116-4A	9	11'6"		590	10/11
	GASS9126-4A	9	12'6"		600	9/10
	CLASS9130-4A	9/10	13'		590	10/11
	CLASS9140-4A	10/11	14'		680	11/12
	CLASS10150-4A	11/12	15'			11/12
AGE9132-4A	9	13'2"		580	10/11	

Meiser	Switch rods					
	S2H10656-5	5/6	10'6"			
	S2H10667-5	6/7	10'6"			
	S2H10678-5	7/8	10'6"			
	S2H10689-5	8/9	10'6"			
	S2H106910	9/10	10'6"			
	S2H1056-4	5/6	10'			
	S2H1067-4	6/7	10'			
	S2H1078-4	7/8	10'			
	S2H1089-4	8/9	10'			
	S2H10910-4	9/10	10'			
	S2H101112-3	10/11	10'			
	S2H117567-4	5/6/7	11'7"	350-500	400	7/8 or Bullet 8
	S2H126456-5	4/5/6	12'6"	350-500	450	8/9 or Bullet 9
	S2H12667-5	6/7	12'6"	400-650	540	9/10
	S2H12678-5	7/8	12'6"		450	8/9
	S212656MKS	5/6	12'6"	350-525	460	SH7/8 or Bullet 7
	S2H126678MKS	6/8	12'6"	400-650	470	SH 8/9 or Bullet 9
	S2H126789MKS	7/9	12'6"	450-750	540	9/10
	S2H130910MKS	9/10	13'	550-900	590	9/10
	S2H1376MKS	6/7	13'	400-650	470	8/9
	S2H13678MKS	7/8	13'6"	450-750	470	8/9
	S2H14067MKS	6/7	14'	400-650	470	7/8
	S2H13689MKS	8/9	13'6"	550-850	590	9/10
	S2H14910MKS	9/10	14'	600-950	590	8/9
	S2H15910MKS	9/10	15'	650-1100	590	8/9
	S2H14789-5	7/8/9	14'		530	8/9
	S2H148910-5	8/9/10	14'		590	9/10
	S2H15789-5	7/8/9	15'			
	S2H158910-5	8/9/10	15'			
	S2H16789-6	7/8/9	16'			
	S2H1691011-6	9/10/11	16'			
	S2H1367-3	6/7	13'		470	8/9
	S2H1378-3	7/8	13'		530	9/10
	S2H1389-3	8/9	13'		590	10/11
S2H13910-3	9/10	13'				
S2H1356-4	5/6	13'				

S2H1367-4	6/7	13'			
S2H1378-4	7/8	13'			
S2H1389-4	8/9	13'			
S2H1391011-4	9/10/11	13'			
S2H136FES78-4	7/8	13'6"			
S2H10667SW-4	6/7	10'6"			
S2H10678SW-4	7/8	10'6"			
S2H10689SW-4	8/9	10'6"			
S2H106910SW-4	9/10	10'6"			
S2H1061011SW-3	10/11	10'6"			
S2H117SW	6/7	11'7"			
S2H1378SW	7/8	13'			
S2H13910SW	9/10	13'			

Sage	z-axis 5110-4	5	10'	340	290	SH6/7 or Bullet 6
	z-axis 6126-4	6	12'6"	460	320	SH6/7 or Bullet 7
	z-axis 7136-4	7	13'6"	550	440	7/8 or Bullet 9
	z-axis 8129-4	8	12'6"		490	9/10
	z-axis 9143-4	9	14'3"	730	550	9/10
	z-axis 10150-4	10	15'	950	570	11/12
	z-axis 10160-4	10	16'	1000	620	11/12
	Traditional 8136-4	8	13'6"	600	580	10/11
	Traditional 9140-4	9	14'	650	600	9/10
	Traditional 9150-4	9	15'	800	760	11/12
	Ultra-light 5120-4	5	12'	350	340	SH6/7 or Bullet 7
	TCR 8123-4	8/9/10	12'3"	630	550	11/12
	TCR 9129-4	9/10/11	12'9"	620	600	10/11
	TCR 9140-4	9/10/11	14'	650	620	10/11
	TCR 10150-4	10/11/12	15'	950	690	10/11
	VT2 7130-4	7	13'	550	490	8/9
	VT2 8139-4	8	13'9"	600	550	9/10
	VT2 9144-4	9	14'4"	650	580	9/10

SCIERRA	MPA	7/8	12'		320	7/8
		8/9	13'		400	8/9
		8/9	13'3"		400	8/9
		9/10	14'		520	9/10
		9/10	14'8"		550	9/10
	HM3	8/9	12'6"		400	8/9
		8/9	13'		400	8/9
		9/10	14'		550	9/10
		10/11	15'		680	10/11
	CTC	8/9	12'6"		400	8/9
		9/10	14'		520	9/10
		10/11	15'		680	10/11
	HMS v2	7/8	11'9"		320	7/8
		8/9	13'		400	8/9
		9/10	13'7"		520	9/10
		9/10	14'3"		550	10/11
		9/10	14'8"		590	10/11

Scott	LS21206/4	6	12'		470	8/9
	LS21307/4	7	13'		530	8/9
	LS21408/4	8	14'		590	9/10
	LS21509/4	9	15'		590	9/10
	LS21610/4	10	16'		660	10/11
	ARC1287/3	7	12'8"		530	8/9
	ARC138/3	8	13'		590	9/10
	ARC1409/4	9	14'		590	9/10
	ARC1509/4	9	15'		590	8/9
	ARC1510/4	10	15'		680	9/10

Snowbee	XSP Salmon Spey	8/10	13'	555	530	9/10
		9/10	14'	615	590	10/11
		10/11	15'	680	590	9/10
		11/12	16'	860	680	10/11
	Torridge	6/7	12'	310	430	7/8
	Tamar	7/8	12'6"	370	470	8/9

St Croix	U12667.4	6/7	12'6"		470	8/9
	U1378.4	7/8	13'		530	8/9
	U1489.4	8/9	14'		590	9/10
	U15910.4	9/10	15'		590	9/10
	A1378.3	7/8	13'		530	9/10
	A14910	9/10	14'		590	9/10
	A151011.3	10/11	15'		680	10/11

T&T	1006-3	5/6	10	320	290	SH7/8
	1107-3	6/7	11	455	400	8/9 or Bullet 7
	1206-3	5/6	12	365	320	SH8/9 or Bullet 6
	1208-3	7/8	12	520	480	9/10
	1208-4	7/8	12	520	480	9/10
	1307-3	6/7	13	450	420	8/9
	1308-3	7/8	13	520	490	9/10
	1409-3	8/9	14	585	560	9/10
	1409-5	8/9	14	585	560	9/10
	1510-3	9/10	15	650	600	9/10

TFO	05 11 4 P	5	11'		430	SH6/7 or Bullet 6
	06 126 4 P	6	12'6"		470	SH7/8 or Bullet 7
	08 126 4 P	8	12'6"		590	9/10
	08 133 4 P	8	13'3"		590	9/10
	09 139 4 SCA	9/10	13'9"		680	10/11
	09 14 4 P	9	14'		590	9/10
	10 149 4 SCA	10/11	14'9"		680	9/10
	10 15 4 P	10	15'		680	9/10
	12 12 4 T	12	12'		770	10/11
	Deer Creek	5/6/7	12'6"	350-550	430	7/8
		7/8	13'	450-700	470	8/9
		8/9	13'6"	550-800	590	9/10
		9/10	14'	650-900	590	9/10
	8/9	15'	600-850	590	8/9	

Winston	Boron IIx	7/8	13'3"	530	500	8/9
	Boron IIx	8/9	13'	600	580	9/10
	Boron IIx	8/9	14'	600	590	9/10
	Boron IIx	10	15'		680	10/11
	Vapor	6/7	12'6"		470	7/8
	Vapor	8/9	14'		550	8/9